





EXPERIENCE IT

CET



2020 CATALOG

We are forged in fire and solidly built—to experience the challenges of a hard day's work. We're fully loaded and machined to precision—to experience the thrill of endless adventure. Each blade is sharpened to cutting edge perfection—to experience a higher standard of performance. Our engineering is a feat of superior craftsmanship—to experience making a statement. Zero Tolerance Knives. We are here so that you can experience it all.

TABLE OF CONTENTS





0022 PG. 14

0770CF PG. 16



0470 PG. 17



0450 PG. 18



0450CF PG. 20

2020 ZERO TOLERANCE KNIVES







0562CF PG. 27

0562TI PG. 29

0609 PG. 30



PG. 32

5

0350TS PG. 33

ZTKNIVES.COM

2020 CATALOG





All Zero Tolerance knives are proudly built in our Tualatin, Oregon USA manufacturing facility by our most skilled workers. Using only premium materials, they work to ZT's high-performance standards, ensuring each part of every ZT is built with precision and care. The operation of your ZT is conspicuously smooth and fit-and-finish is second to none. Each one is confidently backed by our Limited Lifetime Warranty.



0



We produce over one million Zero Tolerance and Kershaw knives each year in our state-of-the-art facility. We ship hundreds of thousands of units to authorized dealers throughout the US. We employ over 300 local people and have local partnerships with companies employing hundreds more. We are committed to quality, to community, and to ZT owners everywhere.





Minimalist design meets maximum performance in the new 0230 from ZT and Danish designer Jens Ansø.

This slipjoint features a double-detent system: two steel detent balls, one on each side of the blade. These hold the blade safely closed for carrying. Then, for controlled open and close, the 0230 also has a half-open position.

The blue anodized aluminum backspacer has an integrated lanyard attachment. And instead of a logo on the blade, we put our name on the spine. Combine that with a 20CV sheepsfoot blade and ultra lightweight carbon fiber handle for a simple, yet extraordinary knife.







F	ΕA	TL	JRI	ES	,

STEEL CPM 20CV, stonewashed finish

HANDLE Carbon fiber

MECHANISM Manual opening, slipjoint

DESIGN Jens Ansø

SPECS

OPEN 6.2 in.

CLOSED 3.7 in.

WEIGHT 1.8 oz.

BLADE LENGTH 2.6 in.

BLADE THICKNESS 0.121 in.





0

9

0

PS

EXPERIENCE PRECISION MACHINING

From imagination to prototype to production, we are built with precision. Every detail is perfected, so you can carry the very best in a premium-grade pocketknife with striking looks and flawless function.

We are built by the most skilled and experienced teams in the ZT factory. We are hand assembled, hand sharpened to a razor edge. We are tested, and tested again. Until we are ready. For you.

EXPERIENCE

ZTKNIVES.COM





MSRP \$375.00 UPC BOX 087171058498





FEATURES

STEEL CPM 20CV, stonewashed finish

HANDLE Coyote tan G10 front; titanium back, bead-blasted finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

> POCKETCLIP Reversible (right/left, tip-up)

> > DESIGN

SPECS

OPEN 8.9 in.

CLOSED 5.2 in.

WEIGHT 6.9 oz.

BLADE LENGTH 3.75 in.

BLADE THICKNESS 0.156 in.

ZT Originals





For those who prefer their knives on the larger side, we created the new 0308.

The 0308 offers a beefy 3.75-inch blade of premium CPM 20CV. The handle features coyote tan G10 on the front scale with a titanium back. Both front and back are heavily 3D machined for an ultra-secure grip. The .25-inch solid pivot features a custom nut that enables it to be adjusted in the field with a .5-inch wrench.

The 0308 opens with ZT's KVT ball-bearing system and is secured with a sturdy frame lock. The pocketclip is right/left reversible and the handle hole pattern is compatible with many after-market clips. When you want a big knife, this is the one to get your hands on.











Designed by Tim Galyean, the 0223 takes its inspiration from a classic military knife.

A clip-point blade of CPM 20CV steel offers exceptional hardness and wear resistance. Black DLC coating gives it a non-glare finish. The titanium handle has a frame lock for reliable lockup. The 0223 opens with ZT's KVT ball-bearing system. Earth brown G10 handle scales echo the original military knife's stacked leather handle.

A bronze-anodized titanium tube spacer and decorative holes drilled in the blade ricasso add to the subtle details of this handsome knife.







FEATURES

STEEL CPM 20CV, black DLC coating

HANDLE Titanium, DLC coating; earth brown G10 scales

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible (right/left, tip-up)

DESIGN Tim Galyean



OPEN 8.6 in.

CLOSED 5 in.

WEIGHT 4.7 oz.

BLADE LENGTH 3.5 in.

BLADE THICKNESS 0.156 in.



EXPERIENCE A HIGHER STANDARD OF PERFORMANCE

Once you get a ZT in your hands, you will understand that we are made to deliver unmatched performance. Put us to work and experience what a higher standard of performance means in action.

3

6

0

2020 CATALOG



This ZT-Ernest Emerson

The clip-point blade is CPM 20CV high-chromium

collaboration provides both practicality and style.

stainless steel. This powdered

metallurgy tool steel has a high

for exceptional wear resistance and a truly long-lasting edge.

The highest level of chromium

of any high-vanadium steel gives it excellent corrosion

The handle is titanium with a

green carbon fiber overlay on

This fully manual knife opens one-handed with a thumb disk.

both sides of the handle.

resistance as well.

volume of vanadium carbides

USA



FEATURES

STEEL

CPM 20CV, machine satin grinds, stonewashed flats

HANDLE Titanium, stonewashed finish; green carbon fiber overlay

MECHANISM Manual opening, brass washers, thumb disk

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible titanium (right/left, tip-up)

DESIGN Ernest Emerson

SPECS

OPEN 8.5 in.

CLOSED 4.75 in.

WEIGHT 4.4 oz.

BLADE LENGTH 3.75 in.

BLADE THICKNESS 0.156 in.





0393GLCF



MSRP \$350.00 UPC BOX 087171055190





FEATURES

STEEL CPM 20CV, working finish

HANDLE Titanium, working finish; glow-in-the-dark carbon fiber overlay

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

> POCKETCLIP Reversible (right/left, tip-up)

> > DESIGN **Rick Hinderer**

> > > SPECS


OPEN 8.25 in.

CLOSED 4.75 in.

WEIGHT 5 oz.

BLADE LENGTH 3.5 in.

BLADE THICKNESS 0.156 in.



The 0393GLCF features a harpoon-style version of Rick Hinderer's "spanto" blade in CPM 20CV. For fast and easy opening, the 0393GLCF's blade moves smoothly out of the handle with the KVT ballbearing system and a flipper.












From ZT and Tim Galyean, the 0022 is the most compact ZT ever. But this mini is mighty.

The 1.8-inch clip-point blade is ready, willing, and able to take on just about any task you ask of it. Deep finger grooves in the handle ensure you always have a secure grip.

For good looks and reduced weight, the 0022 has a carbon fiber front scale. The titanium trim ring around the pivot and the tube spacer have been anodized in a light blue that looks great against the carbon fiber.

This smaller knife almost disappears in your pocket, making it an exceptionally easy-to-carry option for EDC or back up.







STEEL

CPM 20CV, stonewashed finish

HANDLE

Carbon fiber front; titanium back, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible (right/left, tip-up)

DESIGN Tim Galyean



OPEN 4.75 in.

CLOSED 3 in.

WEIGHT 1.7 oz.

BLADE LENGTH 1.8 in.

BLADE THICKNESS 0.121 in.





EXPERIENCE THE BEST IN QUALITY AND STYLE

CAL

Award-winning design. Ultra-premium materials. Skillful, meticulous craftsmanship. It all comes together so we can bring you the very best, whether you're at work, at home, in the field, on the range, or out for a night on the town.





What we own doesn't define us. We define what we own.

ZT builds the knives to meet your definition. Like the 0770CF. With its carbon fiber handle, the 0770CF is both an impressively handsome and an impressively lightweight EDC.

It offers the style and performance of the original award-winning 0777, but in a streamlined version. The blade is S35VN powdered metallurgy steel for a razor edge and excellent edge retention.

A decorative pivot adds the finishing touch.







STEEL CPM S35VN, stonewashed finish

HANDLE Carbon fiber

MECHANISM SpeedSafe® assisted opening system, flipper

LOCK Inset liner lock

POCKETCLIP Reversible deep-carry (right/left, tip-up)

DESIGN

ZT Originals




BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.



2020 CATALOG







ZTKNIVES.COM

FEATURES

STEEL CPM 20CV, machine satin grinds, stonewashed flats

HANDLE Titanium, bead-blasted finish; marbled carbon fiber insert

> MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

> POCKETCLIP Reversible (right/left, tip-up)

> > DESIGN **Dmitry Sinkevich**

> > > SPECS


OPEN 7.8 in.

CLOSED 4.4 in.

WEIGHT 3.2 oz.

BLADE LENGTH 3.4 in.

BLADE THICKNESS 0.121 in.



The blade is CPM 20CV high-chromium stainless steel. The handle is titanium with an eye-catching marbled carbon fiber insert, which ZT leaves with a matte finish for an intriguing and sophisticated look.

A black anodized-aluminum backspacer and a titanium clip complete the look of this refined pocketknife.

2020 CATALOG

17











0470 EXPERIENCE IT





A compact version of an award-winning ZT–Dmitry Sinkevich design, the

0450 is right for the office,

outdoors—or wherever your adventures take you.

materials and looks that will draw admiring glances. The

S35VN powdered metallurgy

blade offers a razor edge

and easy resharpening.

The knife opens smooth

as butter with our KVT ballbearing opening system.

The lightweight-yet-strong

titanium handles give the 0450 a sleek look and provide a sturdy titanium

frame lock.

It features premium



FEATURES

STEEL CPM S35VN, machine satin grinds, stonewashed flats

HANDLE Titanium, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible (right/left, tip-up)

DESIGN Dmitry Sinkevich







18

SPECS

OPEN 7.4 in.

CLOSED 4.1 in.

WEIGHT 2.9 oz.

BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.





EXPERIENCE ULTRA-PREMIUM

High-performance steel. Titanium. Carbon fiber. These ultra-premium materials are matched only by our ultra-premium style, designed to keep you always ahead of the curve.

0450CF

The Zero Tolerance 0450CF has

It features a stronger-than-steel

carbon fiber front handle and black Diamond-Like Carbon (DLC)

coating on its S35VN blade.

This smaller, gentlemanly ZT

opens simply with ZT's KVT ball-bearing opening.

Yet there is one thing that's a bit less subtle about the

0450CF: the two emerald green,

custom-machined and anodized aluminum tube spacers that add

a touch of "wow" to this ZT.

a dark, sophisticated look.



MSRP \$245.00 UPC BOX 087171041094



FEATURES

STEEL CPM S35VN, black DLC coating

HANDLE Carbon fiber front; titanium back, black DLC coating

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible (right/left, tip-up)

DESIGN **Dmitry Sinkevich**







SPECS

OPEN 7.4 in.

CLOSED 4.1 in.

WEIGHT 2.45 oz.


BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.











FEATURES

STEEL CPM 20CV, machine satin grinds, stonewashed flats

> HANDLE Titanium, bead-blasted finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

> POCKETCLIP Reversible (right/left, tip-up)

> > DESIGN **Dmitry Sinkevich**

> > > SPECS

OPEN 7.7 in.

CLOSED 4.5 in.

WEIGHT 6.3 oz.

BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.156 in.

The 0456 looks refined enough for the office, but also has all the tough, versatile cutting power you'll need when life takes you elsewhere.

Based on Dmitry Sinkevich's custom knife The Pole, the ZT 0456 has the blade shape and rayed handle contours of the original.

The CPM 20CV blade has a handsome two-tone finish. The 0456 also features a good looking aluminum backspacer, pocketclip, and pivot-all in brilliant blue.









ZTKNIVES.COM







Here's technology every bit as vital as your cellphone: your EDC knife. Open a package, section an apple, solve a coworker's cardboard box problem, and look badass doing it with the 0452CF designed by Dmitry Sinkevich.

The tech here is the advancedformula CPM S35VN steel and our KVT opening system. The powdered steel is extremely fine-grained so it can be sharpened to a razor edge. Added niobium and nitrogen help it resist chipping.

Caged ball bearings in the KVT system make the knife smooth and easy to open.







FEATURES

STEEL

CPM S35VN, machine satin grinds, stonewashed flats

HANDLE Carbon fiber front; titanium back, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible deep-carry (right/left, tip-up)

DESIGN **Dmitry Sinkevich**

SPECS

OPEN 9.3 in.

CLOSED 5.2 in.

WEIGHT 4.3 oz.

BLADE LENGTH 4.1 in.

BLADE THICKNESS 0.156 in.









STEEL CPM 20CV, machine satin grinds, stonewashed flats

HANDLE Red carbon fiber front; titanium back, stonewashed finish

> MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

> POCKETCLIP Reversible titanium (right/left, tip-up)

> > DESIGN **Dmitry Sinkevich**

> > > SPECS

OPEN 8.9 in.


CLOSED 5.25 in.

WEIGHT 3.7 oz.

BLADE LENGTH 3.7 in.

BLADE

0.156 in.



And while the first thing that will catch your notice about this big knife is that sweeping blade and handle curve, we urge you to look closer.

ZT has added details to the interior of the 0462's handle that are just waiting to be discovered.



2020 CATALOG

23







ZTKNIVES.COM





0460TI

MSRP \$275.00 UPC BOX 087171054124



The 0460TI is a titanium-handled version of the popular 0460 from ZT and Dmitry Sinkevich.

The blade steel is CPM 20CV with a two-tone finish: stonewashed on the flats and satin on the grinds. The handle is titanium, machined to fit the hand for comfort and control, and stonewashed for a matte look.

A black anodized aluminum backspacer adds a handsome touch. A black Teflon®-coated pocketclip lets you carry this ZT comfortably every day.







FEATURES

STEEL CPM 20CV, machine satin grinds, stonewashed flats

HANDLE Titanium, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Single-position (right, tip-up)

DESIGN Dmitry Sinkevich

SPECS

OPEN 7.5 in.

CLOSED 4.4 in.

WEIGHT 2.9 oz.

BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.





EXPERIENCE MAKING A STATEMENT

We are born from the imagination of legendary designers and built to bring you the finest in design, materials, and performance. Put a ZT to work, and you're making a statement about what you value: the very best.







The 0460 offers a little more handle curve, a little more carbon fiber, a little more Sinkevich.

Based on the Polychotky Jr., the 0460's carbon-fiber-and-titanium handle has a pronounced ergonomic curve to fit into the hollow of the hand neatly. The front scale is carbon fiber with a bronze weave. For dimensionality and grip, we partially 3D machined the handle.

The premium S35VN blade steel resists chipping and offers excellent wear resistance. For sharp looks, ZT gave the blade a two-tone finish: stonewashed on the flats and satin on the grinds.

FEATURES

STEEL

CPM S35VN, machine satin grinds, stonewashed flats

HANDLE

Bronze carbon fiber front; titanium back, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Single-position (right, tip-up)

DESIGN **Dmitry Sinkevich**







SPECS

OPEN 7.5 in.

CLOSED 4.4 in.

WEIGHT 2.3 oz.

BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.





2020 CATALOG





MSRP \$325.00 UPC BOX 087171037370



ZTKNIVES.COM

FEATURES

STEEL CPM 20CV, machine satin grinds, stonewashed flats

HANDLE Carbon fiber front; titanium back, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

> LOCK Titanium frame lock, lockbar stabilizer

POCKETCLIP Reversible deep-carry (right/left, tip-up)

> DESIGN **Rick Hinderer**

> > SPECS

OPEN

8.3 in.

CLOSED 4.8 in.

WEIGHT 5.5 oz.

BLADE LENGTH 3.5 in.

BLADE THICKNESS 0.156 in.

The 0562CF features the Rick Hinderer flat-ground "slicer" grind for slicing efficiency and a tough point for piercing. Plus this ZT's handle includes a carbon fiber front scale and stonewashed titanium back.

The knife opens with a flipper and moves out of the handle on our smooth KVT ball-bearing opening system. A washer with caged ball bearings surrounds the pivot and makes opening the knife nearly frictionless; just pull back on the flipper and the 0562CF is ready for action.









ZERO TOLERANCE KNIVES







6

2020 CATALOG

Handle a ZT, and you feel the difference immediately. The fit and finish is first class. The craftsmanship is evident. And the performance you experience when you put us to work is deeply satisfying.

ZTKNIVES.COM







FEATURES

STEEL CPM 20CV, machine satin grinds, stonewashed flats

> HANDLE Titanium, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

> LOCK Titanium frame lock, lockbar stabilizer

POCKETCLIP Reversible deep-carry (right/left, tip-up)

> DESIGN Rick Hinderer

> > SPECS


OPEN 8.3 in.

CLOSED 4.8 in.

WEIGHT 5.3 oz.

BLADE LENGTH 3.5 in.

BLADE THICKNESS 0.156 in.



CPM 20CV powdered steel offers high wear and corrosion resistance. Zero Tolerance sharpens it to a hair-popping edge that holds for a long time, even under hard use.

The knife opens with a flipper and our smooth KVT ball-bearing opening system. The handle is pure titanium with a handsome stonewashed finish. Machining on the inside of the front handle scales relieves weight and makes the 0562TI an easy EDC.







ZTKNIVES.COM





CPM 20CV, machine satin grinds, stonewashed flats

Manual opening, KVT ball-bearing system, flipper

Titanium frame lock, hardened steel lockbar insert

FEATURES

STEEL

HANDLE

LOCK

MECHANISM

POCKETCLIP

DESIGN

Titanium, bronze anodized

Reversible (right/left, tip-up)

RJ Martin & Matt Martin



The 0609 is a smaller, even more carry-ready version of the Factory Custom 0606CF from ZT, RJ Martin, and Matt Martin.

Like the original, it offers a clean, streamlined look with detailed handle machining. It also features RJ's oversized, See-Through Pivot for visual interest-and smooth, easy KVT ball-bearing opening.

The 3.4-inch blade is CPM 20CV for enhanced toughness and resistance to edge chipping. The handle is light-yet-strong titanium anodized in an attractive bronze.







OPEN 7.625 in.

SPECS

CLOSED 4.25 in.

WEIGHT 3.5 oz.

BLADE LENGTH 3.4 in.

BLADE THICKNESS 0.121 in.





2020 CATALOG

2020 CATALOG

EXPERIENCE THE CHALLENGE OF A HARD DAY'S WORK

10.2

The solid, reliable feel of a ZT in your hand means confidence in your tools, confidence in your work. We're built to take on the toughest challenge. Every day, every time. Just like you.





3

The 0350 packs a lot of features into an EDC-perfect size. It features the SpeedSafe® assisted opening system. Deploy the blade quickly and easily, even in gloves, using the ambidextrous flipper.

The ZT 0350's blade is CPM S30V stainless steel with non-reflective black Tungsten DLC (Diamond-Like Carbon) coating. This high-performance S30V blade is paired with textured black G10 scales for a secure grip and excellent mechanical strength even under the roughest conditions.







FEATURES

STEEL CPM S30V, Tungsten DLC coating

HANDLE Textured G10, matte black

MECHANISM SpeedSafe® assisted opening system, flipper

LOCK Liner lock

POCKETCLIP 4-position (right/left, tip-up/down)

DESIGN Ken Onion



2020 CATALOG





MSRP \$205.00 UPC BOX 087171034034



FEATURES

STEEL CPM S30V, Tungsten DLC tiger stripe coating

> HANDLE Textured G10, matte black

MECHANISM SpeedSafe® assisted opening system, flipper

> LOCK Liner lock

POCKETCLIP 4-position (right/left, tip-up/down)

> DESIGN Ken Onion

> > SPECS


OPEN 7.6 in.

CLOSED 4.6 in.

WEIGHT 6.2 oz.

BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.



The blade itself is built of CPM S30V stainless steel. S30V is extremely durable, corrosion resistant, and wear resistant. In addition to providing a camouflaged surface, the DLC coating offers additional blade hardness and reduces friction.

Textured black G10 handle scales offer a secure grip and excellent mechanical strength.







Ð

ZTKNIVES.COM



0

0

0

Precision. Performance. Craftsmanship. Quality and style. We're built to take on the challenge of whatever life throws at us. From a day on the job to your next adventure, we're built so that you can experience it all every time you carry a ZT.

GEAR

NE

AVAILABLE WHILE SUPPLIES LAST





MSRP \$25.00



Γ

W	ZT T	-SHIRT - FLAG	MSRP \$25.00
	s	SHIRTZT201S	087171059099
	м	SHIRTZT201M	087171059105
	L	SHIRTZT201L	087171059112
	XL	SHIRTZT201XL	087171059129
	XXL	SHIRTZT201XXL	087171059136

ZT S	SHIRT 2 - CHARC	OAL	MSRP \$20.00
s	SHIRTZT182S	0871	71053059
м	SHIRTZT182M	0871	71053066
L	SHIRTZT182L	0871	71053073
XL	SHIRTZT182XL	0871	71053080
XXL	SHIRTZT182XXL	0871	71053097



ZT SHIRT 3 - TACTICAL		ICAL MSRP \$20.00
s	SHIRTZT183S	087171053103
м	SHIRTZT183M	087171053110
L	SHIRTZT183L	087171053127
XL	SHIRTZT183XL	087171053134
XXL	SHIRTZT183XXL	087171053141



ZT ZIP-UP HOODIE		MSRP \$55.00
s	HOODIEZT18S	087171053202
м	HOODIEZT18M	087171053219
L	HOODIEZT18L	087171053226
XL	HOODIEZT18XL	087171053233
XXL	HOODIEZT18XXL	087171053240

GEAR AVAILABLE WHILE SUPPLIES LAST



ZT CAP - FLAG

NEW CAPZT201 087171059167 MSRP \$25.00

- Flat brim visor
- Adjustable closure



ZT CAP 1 - TACTICAL

- Adjustable Velcro[®] back
- Utility loops
- No top button



ZT BEANIE

BEANIEZT18	087171053295	MSRP \$15.00

CZA.

ZT SINGLE-KNIFE POUCH

087171059174

Holds any ZT folder (≤ 5.25")

Zippered kevlar case

MSRP \$20.00

- Acrylic knit with knit-in logo
- Two-tone: charcoal outside, gray inside



ZT KNIFE STORAGE BAG

ZT997	087171040769	MSRP \$40.00		
Accommodates up to 18 folding knives				

- Material: nylon siding, nylon straps
- 8-pocket removable center section





ZT KNIFE LANYARD

ZTLANYARD 087171040493 MSRP \$20.00

- Two-color paracord
- Custom ZT bead
- Made in USA

36

POUCHZT

NEW





ZT SHOT GLASS

SHOTGLASSZT	087171053318	MSRP \$11.00	
011010110011			

- Black glass
- 1.5 fl. oz. capacity



ZT MIXOLOGY JIGGER

JIGZT 087171053301	MSRP \$8.00
--------------------	-------------

- Double-sided stainless steel
- 1 fl. oz. & 2 fl. oz. measurements



ZT MUG - FLAG

087171059150

MSRP \$18.00

NEW

- Single wall ceramic mug
- White exterior, gray interior
- 15 fl. oz. capacity

MUGZT



ZT PVC VELCRO PATCH

ZTPATCH17	087171049236	MSRP \$5.00
 Velcro[®] ba 	ck	

3.25 in. × 1.125 in.

ZT WATER BOTTLE

087171053325

Double-wall insulated, stainless steel

BPA-free, insulated lid

20 fl. oz. capacity

MSRP \$35.00

ZT WINDOW CLING


ZTCLING17	087171049250	MSRP \$3.00	
ZICLINOIT	001111049230	1010111 00.00	

- Transparent background
- Sunlight-color-safe
- 6 in. × 2 in.

BOTTLEZT18

DISPLAYS





ZT COUNTER MAT - FLAG

087171059143

Water-resistant surface

Foam backing

15 in. × 10 in.

DISPLAYZT114

Durable acrylic design

Holds a single open knife

MSRP \$20.00

MSRP \$3.00



TRIPLE-KNIFE STAND

DISPLAYZT314	087171040530	MSRP \$5.00
--------------	--------------	-------------

- Durable acrylic design
- Holds three open knives



SINGLE-KNIFE STAND

087171040523



SINGLE-KNIFE BLADE STAND

DISPLAYZTB14	087171040516	MSRP \$1.00
--------------	--------------	-------------

- Durable acrylic design
- Holds a single knife blade





4 ft × 2 ft.

NEW

MATZT20



EXPERIENCE A PARTNER IN ADVENTURE

Wherever you go, whatever you do, we're there for you. We're ready to bring the best in innovative styling, premium materials, precision manufacturing, and meticulous craftsmanship to your next adventure.



LIMITED LIFETIME WARRANTY

Zero Tolerance knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

If you accidentally break your ZT folder's blade, we can replace it for just \$30, pending material availability. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge. Blades marked "XXXX" are factory seconds and are not eligible for replacement.



LIABILITY DISCLAIMER & WARNING

Zero Tolerance knives are intended and sold for legitimate everyday carrying, sporting, and professional purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Zero Tolerance knives/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any ZT knife as a throwing knife or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. ZT knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

We reserve the right to change shipping terms, specifications, materials, discontinue products, adjust blade replacement price and availability at any time, without notice.



ZT REPLACEMENT PARTS

In addition to a selection of free replacement parts, you can get replacements for other ZT parts as well. However, these premium ZT parts are more costly to manufacture, so we charge a small fee. Please check our website for details on the parts currently available.

ZTKNIVES.COM

2020 CATALOG


41

STEEL CHART



CRUCIBLE CPM 20CV

This powdered metallurgy tool steel has a high volume of vanadium carbides for exceptional wear resistance and a long-lasting edge. The highest level of chromium of any high-vanadium steel gives it excellent corrosion resistance and polishability as well.



CRUCIBLE CPM S30V

All-around premium knife steel that takes and holds an edge extremely well; also extremely tough and wear resistant.



CRUCIBLE CPM S35VN

A stainless steel that offers enhanced toughness over S30V without loss of wear resistance. In knife blades, S35VN resists edge chipping and provides excellent edge retention.

WE RESERVE THE RIGHT TO CHANGE MATERIALS WITHOUT NOTICE

2.0 %	2.0 %	1.0 %	(Cr) (Mo)
3.0 %	4.0 %	4.0 %	VANADIUM (V)
0.4 %		0.6 %	TUNGSTEN (W)
0 to 0.5 %			COBALT (Co)
0 to 0.5 % 0.1 to 0.4 %			NICKEL (Ni)
0.5 %			MANGANESE SILICON SULPHUR (Mn) (Si) (S)
0.5 %			SILICON SULPHU (Si) (S)
0.03 %			SULPHUR (S)
0.03 %			PHOSPHORUS COPPER NIOBIUM (P) (Cu) (Nb)
			COPPER (Cu)
			NIOBIUM (Nb)
0 to 0.13 % 60-62	0.2 % 57–59	-	NITROGEN (N)
60-62	57-59	60-62	HRC

CPM S35VN

1.34 %

CPM S30V

1.45 %

CPM 20CV

1.9%

STEEL

CARBON (C)

a fait



Supe can 2001

ZTKNIVES.COM

18600 SW Teton Ave. • Tualatin, OR 97062 800.325.2891 • ZTKNIVES.COM