





EXPERIENCE IT



XI



We are forged in fire and solidly built—to experience the challenges of a hard day's work. We're fully loaded and machined to precision—to experience the thrill of endless adventure. Each blade is sharpened to cutting edge perfection—to experience a higher standard of performance. Our engineering is a feat of superior craftsmanship—to experience making a statement. Zero Tolerance Knives. We are here so that you can experience it all.

2022 CATALOG



ZERO TOLERANCE KNIVES

2022 ZERO TOLERANCE KNIVES



2022 CATALOG



All Zero Tolerance knives are proudly built in our Tualatin, Oregon USA manufacturing facility by our most skilled workers. Using only premium materials, they work to ZT's highperformance standards, ensuring each part of every ZT is built with precision and care. The operation of your ZT is conspicuously smooth, and fit-and-finish is second to none. Each one is confidently backed by our Limited Lifetime Warranty.

| MADE IN * USA * | | |
|---------------------------|--|--|
| | | |

We produce over one million Zero Tolerance and Kershaw knives each year in our state-of-the-art facility. We ship hundreds of thousands of units to authorized dealers throughout the US. We employ approximately 400 local people and have local partnerships with companies employing hundreds more. We are committed to quality, to community, and to ZT owners everywhere.



ZERO TOLERANCE KNIVES



ORIGINAL DESIGNS

ZT's in-house design team creates legendary, innovative, and industry-changing Originals. Using the latest technology in our state-of-theart Tualatin, Oregon USA factory, ZT pushes the boundaries of what a premium knife can offer at the mass production level. ZT Originals offer an impressive combination of style, performance, and fresh ideas. From slim formal carries like the 0707 to beefy folders like the 0308, count on ZT Originals to deliver the best.

C'S

Look for this icon designating ZT ORIGINALS.



0990



Based on the award-winning 0999, the 0990 streamlines this legendary design. Despite its skeletonized structure, this ZT is reliably strong thanks to its steel construction. Other elements pay homage to the original 0999, including an exposed "floating bridge" near the top of the handle, carbon fiber scales with a front steel overlay, and cutout windows in the blade and near the pivot. Instead of a ZT logo on the blade itself, the words "Zero Tolerance" are subtly debossed into the backspacer. The CPM 20CV blade offers excellent edge retention and opens reliably with KVT ball bearings. Once unobtainable for most, the 0990 offers the best way to bring the legend home.







FEATURES

STEEL

CPM 20CV, stonewashed finish

HANDLE

Carbon fiber with steel overlay, bead-blasted finish

MECHANISM

Manual opening, KVT ball-bearing system, flipper

LOCK Inset liner lock

POCKETCLIP Reversible deep-carry (right/left, tip-up)

DESIGN

7 ZT Originals



CLOSED 4.4 in.

WEIGHT 2.9 oz.

BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.









Packed with innovation, the 0762 delivers a top-of-the-line ZT experience. Its modified

sheepsfoot blade and carbon

Open the 0762 reliably with the

with pressure on the lockbar.

The ZT Sub-Frame Lock secures the blade into place without

sacrificing the lightweight benefit

of carbon fiber. A two-tone CPM 20CV blade is pleasing to the

eye and just as useful during

work tasks. The 0762 stands out with an array of aesthetic

anodized hardware and sleek

handle windows. All of these premium features create a ZT

showpiece slicer.

details, including matching blue-

ZT Tuned Detent System (TDS^M), allowing the blade to deploy even

fiber handle scales offer the ultimate medium-size ZT carry.

ZTKNIVES.COM







FEATURES

STEEL CPM 20CV, machine satin grinds, stonewashed flats

> HANDLE Carbon fiber

MECHANISM Manual opening, KVT ball-bearing system, flipper


LOCK Titanium Sub-Frame Lock, hardened steel lockbar insert

> POCKETCLIP Reversible titanium (right/left, tip-up)

> > DESIGN

ZT Originals





WEIGHT 2.9 oz.

4.75 in.

BLADE LENGTH 3.4 in.

BLADE THICKNESS 0.121 in.



07

2022 CATALOG

0308BLKTS

MSRP \$425.00 UPC 087171060804



FEATURES

STEEL

CPM 20CV, black-oxide BlackWash™ finish with tiger stripes

HANDLE Black G10 front; titanium back, black DLC coating

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible (right/left, tip-up)

DESIGN

ZT Originals



For the first time ever, ZT is using a black-oxide BlackWash™ finish with its classic tiger stripe pattern.

2022 CATALOG

ZERO TOLERANCE KNIVES

The 0308BLKTS offers a beefy 3.7-inch tiger stripe blade with premium CPM 20CV blade steel. The handle features black G10 on the front scale with a titanium back. Both the front and back are heavily 3D machined for an ultra-secure grip. The .25-inch solid pivot features a custom nut that enables it to be adjusted in the field with a 1/2-inch wrench.

The pocketclip hole pattern is compatible with many aftermarket clips.







ZTKNIVES.COM





FEATURES

STEEL CPM 20CV, stonewashed finish

HANDLE Coyote tan G10 front; titanium back, bead-blasted finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

> **POCKETCLIP** Reversible (right/left, tip-up)

> > DESIGN

ZT Originals




For those who prefer their knives on the larger side, we created the new 0308.

The 0308 offers a beefy 3.75-inch blade of premium CPM 20CV. The handle features coyote tan G10 on the front scale with a titanium back. Both front and back are heavily 3D machined for an ultra-secure grip. The .25-inch solid pivot features a custom nut that enables it to be adjusted in the field with a .5-inch wrench.

The 0308 opens with ZT's KVT ball-bearing system and is secured with a sturdy frame lock. The pocketclip is right/left reversible, and the handle hole pattern is compatible with many after-market clips. When you want a big knife, this is the one to get your hands on.







ZERO TOLERANCE KNIVES



Finding the perfect balance

between big and small, the 0707 offers something for

everyone with its premium

Its sleek profile is comfortable

in the hand, while also keeping a low profile in the pocket.

Yet its 3.5-inch blade offers

a substantial edge for most

Plus, users can access the blade with ZT's Tuned Detent

System (TDS™), which allows

the knife to be opened even with pressure on the lockbar.

cutting tasks.

looks and performance.



FEATURES

STEEL

CPM 20CV, stonewashed finish

HANDLE Carbon fiber front; titanium back, working finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP

Reversible extra-deep-carry (right/left, tip-up)

DESIGN

SPECS

OPEN 8.25 in.

CLOSED 4.6 in.

WEIGHT 2.3 oz.

BLADE LENGTH 3.5 in.

BLADE THICKNESS 0.121 in.

ZT Originals



2022 CATALOG







ZTKNIVES.COM



EXPERIENCE THE BEST IN QUALITY AND STYLE

Award-winning design. Ultra-premium materials. Skillful, meticulous craftsmanship. It all comes together so we can bring you the very best, whether you're at work, at home, in the field, on the range, or out for a night on the town.







The 0357BW is an assisted knife, featuring ZT's SpeedSafe® system. Simply pull back on the flipper to easily open the knife every time. The blade locks into place with a beefy and secure 0.080-inch liner lock.

High-end CPM 20CV blade steel provides reliable edge retention and corrosion resistance. Scratches blend in with the blade's BlackWash[™] finish.

Black G10 is machined on both the front and back of the handle.

A reversible deep-carry pocket clip allows for ambidextrous carry in the tip-up position.







FEATURES

STEEL

CPM 20CV, black-oxide BlackWash[™] finish

HANDLE Black G10

MECHANISM SpeedSafe® assisted opening system, flipper

LOCK Liner lock

POCKETCLIP Reversible deep-carry (right/left, tip-up)

DESIGN

SPECS

OPEN 7.625 in.

CLOSED 4.4 in.

WEIGHT 4.3 oz.

BLADE LENGTH 3.25 in.

ZT Originals



BLADE THICKNESS 0.121 in.









FEATURES

STEEL CPM 20CV, working finish

> HANDLE Black G10


MECHANISM SpeedSafe® assisted opening system, flipper

> LOCK Liner lock

POCKETCLIP Reversible deep-carry (right/left, tip-up)

DESIGN

ZT Originals



A 3.25-inch drop point blade gives users plenty of edge for cutting tasks. Scratches blend in with the blade's working finish. A beefy 0.080-inch liner lock provides a rock-solid lockup.

After being precision built in ZT's Tualatin, Oregon USA factory, the final product comes in at a value price, perfect for all ZT users.

Whether you're just starting your ZT journey, or are looking to add to your collection, count on the 0357 to get the job done.











4.3 oz. BLADE

LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.

ZTKNIVES.COM



MSRP \$265.00 UPC 087171036175



What we own doesn't define us. We define what we own.

ZT builds the knives to meet your definition. Like the 0770CF. With its carbon fiber handle, the 0770CF is both an impressively handsome and an impressively lightweight EDC.

It offers the style and performance of the original award-winning 0777, but in a streamlined version. The blade is S35VN powdered metallurgy steel for a razor edge and excellent edge retention.

A decorative pivot adds the finishing touch.







FEATURES

STEEL CPM S35VN, stonewashed finish

HANDLE Carbon fiber

MECHANISM SpeedSafe® assisted opening system, flipper

LOCK Inset liner lock

POCKETCLIP Reversible deep-carry (right/left, tip-up)

DESIGN

ZT Originals



OPEN 7.5 in. CLOSED 4.3 in.

WEIGHT 3 oz.

BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.



2022 CATALOG





FEATURES

STEEL CPM 20CV, stonewashed finish


HANDLE Carbon fiber front; titanium back, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

> POCKETCLIP Reversible (right/left, tip-up)

> > DESIGN Tim Galyean



The 1.8-inch clip point blade is ready, willing, and able to take on just about any task you ask of it. Deep finger grooves in the handle ensure you always have a secure grip.

For good looks and reduced weight, the 0022 has a carbon fiber front scale. The titanium trim ring around the pivot and the tube spacer have been anodized in a light blue that looks great against the carbon fiber.

This smaller knife almost disappears in your pocket, making it an exceptionally easy-to-carry option for EDC or back up.









SPECS

OPEN 4.75 in. CLOSED 3 in.

WEIGHT 1.7 oz.

BLADE LENGTH 1.8 in.

BLADE THICKNESS 0.121 in. ZTKNIVES.COM

0022 EXPERIENCE IT



Designed by Tim Galyean, the

0223 takes its inspiration from a classic military knife.

A clip point blade of CPM 20CV steel offers exceptional hardness

and wear resistance. Black DLC

coating gives it a non-glare finish. The titanium handle has a frame

lock for reliable lockup. The 0223

opens with ZT's KVT ball-bearing system. Earth brown G10 handle

scales echo the original military

knife's stacked leather handle.

A bronze-anodized titanium

tube spacer and decorative holes drilled in the blade ricasso

add to the subtle details of

this handsome knife.



FEATURES

STEEL

CPM 20CV, black DLC coating

HANDLE Titanium, black DLC coating; earth brown G10 scales

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible (right/left, tip-up)

DESIGN Tim Galyean





SPECS

OPEN 8.6 in.

CLOSED 5 in.

WEIGHT 4.7 oz.

BLADE LENGTH 3.5 in.

BLADE THICKNESS 0.156 in.








EXPERIENCE PRECISION MACHINING

From imagination to prototype to production, we are built with precision. Every detail is perfected, so you can carry the very best in a premium-grade pocketknife with striking looks and flawless function. 2022 CATALOG



CPM 20CV, stonewashed finish

FEATURES

STEEL

HANDLE

DESIGN

Jens Ansø

Carbon fiber

MECHANISM

Manual opening, slipjoint



Minimalist design meets maximum performance in the new 0230 from ZT and Danish designer Jens Ansø.

This slipjoint features a double-detent system: two steel detent balls, one on each side of the blade. These hold the blade safely closed for carrying. For controlled open and close, the 0230 also has a half-open position.

The blue anodized aluminum backspacer has an integrated lanyard attachment. And instead of a logo on the blade, we put our name on the spine. Combine that with a 20CV sheepsfoot blade and ultra lightweight carbon fiber handle for a simple, yet extraordinary knife.







18

2022 CATALOG

OPEN 6.2 in. CLOSED 3.7 in. WEIGHT

SPECS

1.8 oz. BLADE

LENGTH 2.6 in.

BLADE THICKNESS 0.121 in.









FEATURES

STEEL CPM 20CV, stonewashed finish

> HANDLE Carbon fiber

MECHANISM Manual opening, slipjoint

POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)

> DESIGN Jens Ansø

> > SPECS

OPEN 6.3 in.

CLOSED 3.8 in.

WEIGHT 1.8 oz.

BLADE LENGTH 2.6 in.

BLADE THICKNESS 0.121 in. From ZT and Danish designer Jens Ansø, the new 0235 expands on the original 0230, offering a high-class, premium performance carry.

The new spear point blade is opened with a double detent system: two steel detent balls, one on each side of the blade. They hold the blade safely closed for carrying. For controlled open and close, the 0235 also has a half-open position.

An extra-deep-carry clip provides a new way of carrying this sleek, simple, and extraordinary design.









ZERO TOLERANCE KNIVES

ZTKNIVES.COM



This ZT-Ernest Emerson

The clip point blade is CPM 20CV high-chromium

collaboration provides both practicality and style.

stainless steel. This powdered

metallurgy tool steel has a high volume of vanadium carbides

for exceptional wear resistance

and a truly long-lasting edge. The highest level of chromium

of any high-vanadium steel

gives it excellent corrosion resistance as well.

The handle is titanium with a green carbon fiber overlay on

This fully manual knife opens one-handed with a thumb disk.

both sides of the handle.

MSRP \$335.00 UPC 087171053844



FEATURES

STEEL

CPM 20CV, machine satin grinds, stonewashed flats

HANDLE Titanium, stonewashed finish; green carbon fiber overlay

MECHANISM Manual opening, brass washers, thumb disk

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible titanium (right/left, tip-up)

DESIGN **Ernest Emerson**







20

2022 CATALOG



SPECS

OPEN 8.5 in.

CLOSED 4.75 in.

WEIGHT 4.4 oz.

BLADE LENGTH 3.75 in.

BLADE THICKNESS 0.156 in.











FEATURES

STEEL CPM 20CV, machine satin grinds, stonewashed flats


HANDLE Titanium, bead-blasted finish; marbled carbon fiber insert

> MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

> POCKETCLIP Reversible titanium (right/left, tip-up)

> > DESIGN **Dmitry Sinkevich**



The blade is CPM 20CV high-chromium stainless steel. The handle is titanium with an eye-catching marbled carbon fiber insert, which ZT leaves with a matte finish for an intriguing and sophisticated look.

A black anodized-aluminum backspacer and a titanium clip complete the look of this refined pocketknife.











OPEN 7.8 in. CLOSED 4.4 in. WEIGHT 3.2 oz. BLADE LENGTH 3.4 in.

SPECS

BLADE THICKNESS 0.121 in.





ZTKNIVES.COM



0 211 1200 23/4 LENGTH

EXPERIENCE A HIGHER STANDARD OF PERFORMANCE

Once you get a ZT in your hands, you will understand that we are made to deliver unmatched performance. Put us to work and experience what a higher standard of performance means.





FEATURES

STEEL CPM S35VN, machine satin grinds, stonewashed flats

> HANDLE Titanium, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

> POCKETCLIP Reversible (right/left, tip-up)

> > DESIGN Dmitry Sinkevich

A compact version of an awardwinning ZT–Dmitry Sinkevich design, the 0450 is right for the office, outdoors–or wherever your adventures take you.

It features premium materials and looks that will draw admiring glances. The S35VN powdered metallurgy blade offers a razor edge and easy resharpening.

The knife opens smooth as butter with our KVT ballbearing opening system. The lightweight-yet-strong titanium handles give the 0450 a sleek look and provide a sturdy titanium frame lock.



ZTKNIVES.COM









SPECS

OPEN 7.4 in. CLOSED 4.1 in.

WEIGHT 2.9 oz.

BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.



MSRP \$270.00 UPC 087171041094



The Zero Tolerance 0450CF has a dark, sophisticated look.

It features a stronger-than-steel carbon fiber front handle and black Diamond-Like Carbon (DLC) coating on its S35VN blade.

This smaller, gentlemanly ZT opens simply with ZT's KVT ball-bearing opening.

Yet there is one thing that's a bit less subtle about the 0450CF: the two emerald green, custom-machined and anodized aluminum tube spacers that add a touch of "wow" to this ZT.







FEATURES

STEEL CPM S35VN, black DLC coating

HANDLE Carbon fiber front; titanium back, black DLC coating

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible (right/left, tip-up)

DESIGN **Dmitry Sinkevich**



OPEN 7.4 in.

CLOSED 4.1 in.

WEIGHT 2.45 oz.

BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.









This super-sized version of the

ZTKNIVES.COM


0460 features an upswept blade of CPM 20CV for toughness and wear resistance and a colored carbon fiber front scale with titanium back.

And while the first thing that will catch your notice about this big knife is that sweeping blade and handle curve, we urge you to look closer.

ZT has added details to the interior of the 0462's handle that are just waiting to be discovered.







FEATURES

STEEL CPM 20CV, machine satin grinds, stonewashed flats

HANDLE Red carbon fiber front; titanium back, stonewashed finish

> MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

> POCKETCLIP Reversible titanium (right/left, tip-up)

> > DESIGN Dmitry Sinkevich

> > > SPECS

OPEN 8.9 in.

5.25 in.

WEIGHT 3.7 oz.

BLADE LENGTH 3.7 in.

BLADE THICKNESS 0.156 in.





ZERO TOLERANCE KNIVES



Here's technology every bit as vital as your smart phone: your EDC knife. Open a package,

section an apple, solve a

coworker's cardboard box problem, and look badass doing

Dmitry Sinkevich.

it with the 0452CF, designed by

The tech here is the advanced-

formula CPM S35VN steel and our KVT opening system. The

powdered steel is extremely

Added niobium and nitrogen

Caged ball bearings in the

KVT system make the knife smooth and easy to open.

fine-grained so it can be sharpened to a razor edge.

help it resist chipping.



FEATURES

STEEL

CPM S35VN, machine satin grinds, stonewashed flats

HANDLE Carbon fiber front; titanium back, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible deep-carry (right/left, tip-up)

DESIGN **Dmitry Sinkevich**

SPECS

OPEN 9.3 in.

CLOSED 5.2 in.

WEIGHT 4.3 oz.

BLADE LENGTH 4.1 in.

BLADE THICKNESS 0.156 in.





2022 CATALOG







ZTKNIVES.COM



EXPERIENCE ULTRA-PREMIUM

High-performance steel. Titanium. Carbon fiber. These ultra-premium materials are matched only by our ultra-premium style, designed to keep you always ahead of the curve.

2022 CATALOG





The 0562TI features Rick Hinderer's exclusive Hinderer "slicer" grind. This flat-ground edge provides both slicing efficiency and a tough point.

CPM 20CV powdered steel offers high wear and corrosion resistance. Zero Tolerance sharpens it to a hair-popping edge that holds for a long time, even under hard use.

The knife opens with a flipper and our smooth KVT ball-bearing opening system. The handle is pure titanium with a handsome stonewashed finish. Machining on the inside of the front handle scales relieves weight and makes the 0562TI an easy EDC.







0562TI EXPERIENCE IT

FEATURES

STEEL CPM 20CV, machine satin grinds, stonewashed flats

HANDLE Titanium, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, lockbar stabilizer

POCKETCLIP Reversible deep-carry (right/left, tip-up)

DESIGN Rick Hinderer



OPEN 8.3 in. CLOSED

4.8 in.

WEIGHT 5.3 oz.

BLADE LENGTH 3.5 in.

BLADE THICKNESS 0.156 in.











FEATURES

STEEL CPM 20CV, machine satin grinds, stonewashed flats

HANDLE Carbon fiber front; titanium back, stonewashed finish

MECHANISM Manual opening, KVT ball-bearing system, flipper

> LOCK Titanium frame lock, lockbar stabilizer

POCKETCLIP Reversible deep-carry (right/left, tip-up)

> DESIGN **Rick Hinderer**

The 0562CF features the Rick Hinderer flat-ground "slicer" grind for slicing efficiency and a tough point for piercing. Plus, this ZT's handle includes a carbon fiber front scale and stonewashed titanium back.

The knife opens with a flipper and moves out of the handle on our smooth KVT ball-bearing opening system. A washer with caged ball bearings surrounds the pivot and makes opening the knife nearly frictionless; just pull back on the flipper and the 0562CF is ready for action.









ZERO TOLERANCE KNIVES

ZTKNIVES.COM

29



BLADE THICKNESS 0.156 in.





The 0609 is a smaller, even more carry-ready version of the Factory Custom 0606CF from

ZT, RJ Martin, and Matt Martin.

Like the original, it offers a

clean, streamlined look with

detailed handle machining. It also features RJ's oversized,

See-Through Pivot for visual

ball-bearing opening.

attractive bronze.

interest-and smooth, easy KVT

The 3.4-inch blade is CPM 20CV for enhanced toughness and

resistance to edge chipping.

The handle is light-yet-strong titanium anodized in an





FEATURES

STEEL

CPM 20CV, machine satin grinds, stonewashed flats

HANDLE Titanium, bronze anodized

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

POCKETCLIP Reversible (right/left, tip-up)

DESIGN **RJ** Martin

2022 CATALOG







SPECS

OPEN 7.625 in.

CLOSED 4.25 in.

WEIGHT 3.5 oz.

BLADE LENGTH 3.4 in.

BLADE THICKNESS 0.121 in.





0393GLCF



MSRP \$375.00 UPC 087171055190





FEATURES

STEEL CPM 20CV, working finish

HANDLE Titanium, working finish; glow-in-the-dark carbon fiber overlay

MECHANISM Manual opening, KVT ball-bearing system, flipper

LOCK Titanium frame lock, hardened steel lockbar insert

> POCKETCLIP Reversible (right/left, tip-up)

> > DESIGN **Rick Hinderer**

> > > SPECS


OPEN 8.25 in.

CLOSED 4.75 in.

WEIGHT 5 oz.

BLADE LENGTH 3.5 in.

BLADE THICKNESS 0.156 in.



The 0393GLCF features a harpoon-style version of Rick Hinderer's "spanto" blade in CPM 20CV. For fast and easy opening, the 0393GLCF's blade moves smoothly out of the handle with the KVT ballbearing system and a flipper.









The 0350TS has everything our 0350 has, plus a tiger-striped Tungsten DLC blade.

The blade itself is built of CPM S30V stainless steel. S30V is

extremely durable, corrosion

resistant, and wear resistant. In addition to providing a

camouflaged surface, the DLC

coating offers additional blade hardness and reduces friction.

Textured black G10 handle scales offer a secure grip and

excellent mechanical strength.

MSRP \$220.00 UPC BOX 087171034034

FEATURES

STEEL CPM S30V, Tungsten DLC tiger stripe coating

HANDLE Textured G10, matte black

MECHANISM SpeedSafe® assisted opening system, flipper

LOCK Liner lock

POCKETCLIP 4-position (right/left, tip-up/down)

DESIGN Ken Onion





SPECS

CLOSED

6.2 oz.

BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in.









FEATURES

STEEL CPM S30V, Tungsten DLC coating

> HANDLE Textured G10, matte black

MECHANISM SpeedSafe® assisted opening system, flipper

> LOCK Liner lock

POCKETCLIP 4-position (right/left, tip-up/down)

> DESIGN Ken Onion

> > SPECS

OPEN 7.6 in.

CLOSED 4.6 in.

WEIGHT 6.2 oz.

BLADE LENGTH 3.25 in.

BLADE THICKNESS 0.121 in. The 0350 packs a lot of features into an EDC-perfect size. It features the SpeedSafe® assisted opening system. Deploy the blade quickly and easily, even in gloves, using the ambidextrous flipper.

The ZT 0350's blade is CPM S30V stainless steel with non-reflective black Tungsten DLC (Diamond-Like Carbon) coating. This high-performance S30V blade is paired with textured black G10 scales for a secure grip and excellent mechanical strength even under the roughest conditions. ZTKNIVES.COM







2022 CATALOG

EXPERIENCE IT ALL

Precision. Performance. Craftsmanship. Quality and style. We're built to take on the challenge of whatever life throws at us. From a day on the job to your next adventure, we're built so that you can experience it all every time you carry a ZT.



AVAILABLE WHILE SUPPLIES LAST







ZT NECK GAITER

087171061023 GAITERZT MSRP \$10.99

- 92% polyester, 8% spandex •
- One size fits most
- 9.8 in. × 19.7 in.

ZT CHALLENGE COIN

| ZTCHALLENGECOIN20 | 087171061825 | MSRP \$9.99 |
|-------------------|--------------|-------------|
| | | |

- Zinc alloy with nickel plating
- Diameter: 1.75 in.
- Weight: 0.9 oz.



ZT CAP - FLAG

| | CAPZT201 | 087171059167 | MSRP \$34.99 |
|--|----------|--------------|--------------|
|--|----------|--------------|--------------|

- Flat brim visor ٠
- Adjustable closure



ZT BEANIE

| BEANIEZT18 | 087171053295 | MSRP \$15.00 |
|------------|--------------|--------------|
| 1 | | |

Acrylic knit with knit-in logo

Two-tone: charcoal outside, gray inside

ZTKNIVES.COM

GEAR AVAILABLE WHILE SUPPLIES LAST



| ZT 1 | -SHIRT - 0357 | MSRP \$29.99 |
|------|----------------|-----------------|
| s | SHIRTZT2021S | 087171061832 |
| м | SHIRTZT2021M | 087171061849 |
| L | SHIRTZT2021L | 087171061856 |
| XL | SHIRTZT2021XL | 087171061863 |
| XXL | SHIRTZT2021XXL | 087171061870 |
| | | |



| ZT | -SHIRT - FLAG | MSRP \$29.99 |
|-----|---------------|-----------------|
| s | SHIRTZT201S | 087171059099 |
| м | SHIRTZT201M | 087171059105 |
| L | SHIRTZT201L | 087171059112 |
| XL | SHIRTZT201XL | 087171059129 |
| XXL | SHIRTZT201XXL | 087171059136 |

GEAR EXPERIENCE IT







ZT KNIFE STORAGE BAG

| ZT997 | 087171040769 | MSRP \$43.99 |
|-------|--------------|--------------|
| | | |

- Accommodates up to 18 folding knives
- Material: nylon siding, nylon straps
- 8-pocket removable center section

ZT SINGLE-KNIFE POUCH

| POUCHZT | 087171059174 | MSRP \$19.99 |
|---------|--------------|--------------|
|---------|--------------|--------------|

- Holds any ZT folder (≤ 5.25")
- Zippered Kevlar case



ZT MUG - FLAG

| MUGZT | 087171059150 | MSRP \$17.99 |
|-------|--------------|--------------|
| | | |

- Single wall ceramic mug
- White exterior, gray interior
- 12 fl. oz. capacity



ZT COUNTER MAT - FLAG

| MATZT20 | 087171059143 | MSRP \$22.00 |
|---------|--------------|--------------|
| | | |

- Water-resistant surface
- Foam backing
- 15 in. × 10 in.

ZTKNIVES.COM

GEAR AVAILABLE WHILE SUPPLIES LAST





SINGLE-KNIFE BLADE STAND



- Durable acrylic design
- Holds a single knife blade



ZT KNIFE LANYARD

| ZTLANYARD | 087171040493 | MSRP \$20.00 |
|-----------|--------------|--------------|
|-----------|--------------|--------------|

- Two-color paracord
- Custom ZT bead
- Made in USA



SINGLE-KNIFE STAND

| DISPLAYZT114 | 087171040523 | MSBP \$3.00 |
|--------------|---------------|-------------|
| DISFLATZITTA | 00/11/1040323 | MONF \$5.00 |

- Durable acrylic design
- Holds a single open knife



ZT PVC VELCRO PATCH

| ZTPATCH17 | 087171049236 | MSRP \$5.00 |
|-----------|--------------|-------------|
|-----------|--------------|-------------|

- Velcro® back
- 3.25 in. × 1.125 in.



TRIPLE-KNIFE STAND

DISPLAYZT314 087171040530 MSRP \$5.00

- Durable acrylic design
- Holds three open knives



ZT WINDOW CLING

ZTCLING17 087171049250 MSRP \$3.00

- Transparent background
- Sunlight-color-safe
- 6 in. × 2 in.

EXPERIENCE A PARTNER IN ADVENTURE

Wherever you go, whatever you do, we're there for you. We're ready to bring the best in innovative styling, premium materials, precision manufacturing, and meticulous craftsmanship to your next adventure.



LIMITED LIFETIME WARRANTY

Zero Tolerance knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

If you accidentally break your ZT folder's blade, we can replace it for just \$40, pending material availability. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge. Blades marked "XXXX" are factory seconds and are not eligible for replacement.



LIABILITY DISCLAIMER & WARNING

Zero Tolerance knives are intended and sold for legitimate everyday carrying, sporting, and professional purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Zero Tolerance knives/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any ZT knife as a throwing knife or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. ZT knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

We reserve the right to change shipping terms, specifications, materials, discontinue products, adjust blade replacement price and availability at any time, without notice.



ZT REPLACEMENT PARTS

In addition to a selection of free replacement parts, you can get replacements for other ZT parts as well. However, these premium ZT parts are more costly to manufacture, so we charge a small fee. Please check our website for details on the parts currently available.

ZTKNIVES.COM

2022 CATALOG


41

STEEL CHART



CRUCIBLE CPM 20CV

This powdered metallurgy tool steel has a high volume of vanadium carbides for exceptional wear resistance and a long-lasting edge. The highest level of chromium of any high-vanadium steel gives it excellent corrosion resistance and polishability as well.



CRUCIBLE CPM S30V

All-around premium knife steel that takes and holds an edge extremely well; also extremely tough and wear resistant.



CRUCIBLE CPM S35VN

A stainless steel that offers enhanced toughness over S30V without loss of wear resistance. In knife blades, S35VN resists edge chipping and provides excellent edge retention.

WE RESERVE THE RIGHT TO CHANGE MATERIALS WITHOUT NOTICE

| - 11 A | | | | | | | | | | | | | | |
|--------|-------------------|-----------------|----------------|---|----------------|-----------------|--|-------------------------------|----------------|-----------------|------------------------|--------------------|------------------|--------------|
| 60-62 | 0 to 0.13 % 60-62 | | , | 0.03 % | 0.03 % | 0.5 % | 0.5 % | 0.4 % 0 to 0.5 % 0.1 to 0.4 % | 0 to 0.5 % | 0.4 % | 3.0 % | 2.0 % | 14.0 % | .34 % |
| 57-59 | 0.2 % 57–59 | 1 | 1 | , | | 1 | | | | | 4.0 % | 2.0 % | 14.0 % | .45 % |
| 60-62 | - | 1 | 1 | | ı | ı | 1 | | - | 0.6 % | 4.0 % | 1.0 % | 20.0 % | .9 % |
| HRC | NITROGEN (N) | NIOBIUM (Nb) | COPPER (Cu) | PHOSPHORUS COPPER NIOBIUM NITROGEN (P) (Cu) (Nb) (N) | SULPHUR (S) | SILICON (Si) | MANGANESE SILICON SULPHUR (Mn) (Si) (S) | NICKEL (Ni) | COBALT (Co) | TUNGSTEN (W) | VANADIUM (V) (W) | MOLYBDENUM (Mo) | CHROMIUM (Cr) | ARBON (C) |

CPM S35VN

--ω

CPM 20CV

1.0

STEEL

CAR

CPM S30V

1.4

ZTKNIVES.COM

18600 SW Teton Ave. • Tualatin, OR 97062 800.325.2891

लगरिन्त्रायः

MAINE

-

Aimpoint

CompM5 2040