

ZeroToleranceKnives.com made in the usa

PRI



The original cutting tool was the sharp tooth of the predator. Next came the blade. Then, after thousands of years of evolution, Zero Tolerance Knives was born.

Designed and manufactured to stand up to hard use, Zero Tolerance knives are built of premium materials such as S3OV, ELMAX, or 154CM blade steel and 3-D machined G-10 and titanium handles. These proudly overbuilt knives have earned a reputation among their devoted fans for being "built like a tank" or even "a real beast."

Which is as it should be.

INAL TEGENU REBORN

201

 STEEL
 ELMAX*, STONEWASHED FINISH

 HANDE
 TEXTURED G-10 FRONT, STAINLESS STEEL BACK

 BLADE
 3.25 IN.

 CLOSED
 4.45 IN.

ASSISTED OPENING

• QUAD-MOUNTING SYSTEM, DEEP-CARRY CLIP

• FRAME LOCK, LOCKBAR STABILIZER

ZT and Rick Hinderer team up again in the new 0566. Designed for pure performance, this knife is a more compact size than the larger 0560/0561. The blade is pure ELMAX powder steel. With almost no impurities in the steel, the 0566's blade can be sharpened to hair-popping levels—and also offers excellent edge retention, strength, and toughness. The front scale is textured G-10. The back is stainless steel with a frame lock and lockbar stabilizer. ZT's quad-mounting system and deep-carry clip enable you to carry this beast any way you please.







PROTOTYPE: SPECIFICATIONS MAY CHANGE

2



 STEEL
 ELMAX*, STONEWASHED FINISH

 HANDLE
 6061-76 ANODIZED ALUMINUM

 BLADE
 3.25 IN.

 CLOSED
 4.32 IN.

- ASSISTED OPENING
- REVERSIBLE, DEEP-CARRY CLIP
- INSET LINER LOCK

Get the style and performance of Zero Tolerance's award-winning 0777 in a slightly smaller, streamlined version. For monster performance, the blade is ELMAX powder steel and provides a razor edge, excellent edge retention, strength, and toughness. The 0770 opens quickly and easily thanks to SpeedSafe® assisted opening. The sweeping lines of the original 0777 are preserved in the machined aluminum handle that nestles securely in the hand. The 0770's deep-carry clip is reversible.



0350SW

 STEEL
 S30V, STONEWASHED FINISH

 HANDLE
 TEXTURED G-10

 BLADE
 3.25 IN.

 CLOSED
 4.63 IN.

 WEIGHT
 5.6 0Z.

ASSISTED OPENING

• QUAD-MOUNTING SYSTEM

LINER LOCK

201

Love the 0350, but would love it more with an uncoated blade? You got it. The new 0350SW comes with a stonewashed blade rather than DLC coating. Otherwise, it's the same 0350. The blade is S30V stainless steel for extreme durability, corrosion resistance, and wear resistance. The 0350SW opens quickly with the patented SpeedSafe® assisted opening system. Use the ambidextrous thumbstud or flipper to open the knife easily even in gloves.







PROTOTYPE: SPECIFICATIONS MAY CHANGE





 STEEL
 ELMAX®, STONEWASHED FINISH

 HANDE
 TITANIUM

 BLADE
 3.5 IN.

 CLOSED
 4.7 IN.

- MANUAL KVT OPENING SYSTEM
- REVERSIBLE POCKETCLIP
- TITANIUM FRAME LOCK

ELMAX steel + titanium + Zero Tolerance + Todd Rexford = one amazing knife. It's the ZT 0801. Just flip the flipper and the stonewashed ELMAX blade rotates out of the titanium handle on ZT's glass-smooth KVT ball-bearing system. No springs required; just simple, easy, one-handed opening. The titanium handle features a secure frame lock and has been machined to provide a secure grip. The pocketclip is deep carry and reversible. The look is unmistakable.



O350ST NON-SERRATED 0350

 STEEL
 S30V, TUNGSTEN DLC COATING

 HANDLE
 TEXTURED G-10

 BLADE
 3.25 IN.

 CLOSED
 4.63 IN.

 WEIGHT
 5.7 OZ.

• ASSISTED OPENING

- QUAD-MOUNTING SYSTEM
- LINER LOCK

Smaller. Lighter. Just as aggressive. ZT's 0350 is 10% smaller and lighter than the 0300, yet it packs a lot of features into that smaller profile. The blade deploys quickly either left- or righthanded with SpeedSafe® assisted opening. Push the thumbstud or pull back on the flipper protrusion and the premium S30V blade moves smoothly into position, ready for use. Textured G-10 scales and a locking liner complete the knife.







6







O301ST NON-SERRATED 0301

 STEEL
 S30V, TUNGSTEN DLC COATING, TIGER STRIPES

 HANDLE
 3-D MACHINED G-10 FRONT, TITANIUM BACK

 BLADE
 3.75 IN.

 CLOSED
 5.13 IN.

 WEIGHT
 8.1 OZ.

- ASSISTED OPENING
- QUAD-MOUNTING SYSTEM
- TITANIUM FRAME LOCK

Tiger-striped, Ranger Green reliability. The ZT 0301 is a topquality hard-use knife equipped with patented SpeedSafe® assisted opening. The blade deploys with an ambidextrous thumbstud or flipper protrusion. S30V blade steel provides durability, wear resistance, and corrosion resistance. Tiger-striped Tungsten DLC coating offers a non-reflective camouflaged finish. The G-10-and-titanium handle provides extreme durability and a sure grip. A pivot-shaft adjustment feature enables the user to adjust for tighter or looser blade deployment.



0300ST

NON-SERRATED 0300

 STEEL
 S30V, TUNGSTEN DLC COATING

 HANDLE
 3-D MACHINED G-10 FRONT, TITANIUM BACK

 BLADE
 3.75 IN.

 CLOSED
 5.13 IN.


 Weight
 8.1 OZ.


• ASSISTED OPENING

• QUAD-MOUNTING SYSTEM

• TITANIUM FRAME LOCK

This folder is built for strength and versatility. The 0300 features patented SpeedSafe® assisted opening and a multitask-ready recurve blade. Deploy the blade one-handed with the ambidextrous thumbstud or flipper protrusion. The 0300's larger size makes it easy to handle, even in gloves. S30V stainless steel gives the blade strength and wear resistance. The tungsten DLC coating is designed to enhance hardness and reduce friction drag. The sure-grip handles are a combination of 3-D machined G-10 and titanium.





8









O200ST NON-SERRATED 0200

 STEEL
 154CM, TUNGSTEN DLC COATING

 HANDLE
 3-D MACHINED G-10

 BLADE
 4 IN.

 CLOSED
 5.25 IN.

 WEIGHT
 7.9 OZ.

- MANUAL OPENING
- QUAD-MOUNTING SYSTEM
- LINER LOCK

Tactical Response magazine says the Zero Tolerance 0200 is the best patrol knife.* The knife's 154C stainless steel recurve blade offers ideal cutting leverage and precision piercing. Machined G-10 scales provide a secure grip, with or without duty gloves. A pivot-shaft adjustment feature enables the user to adjust for tighter or looser blade deployment.

Tactical Response magazine, "Patrol Knife Comparison," Jan.- Feb., 2008



O350TSST NON-SERRATED 0350TS

 STEEL
 S30V, TUNGSTEN DLC COATING, TIGER STRIPES

 HANDLE
 TEXTURED G-10

 BLADE
 3.25 IN.

 CLOSED
 4.625 IN.

 Weight
 5.6 OZ.

ASSISTED OPENING

• QUAD-MOUNTING SYSTEM

• LINER LOCK

Same beast-like build. Same tank-like quality. But the Zero Tolerance 0350TSST has something the others don't—a bold, tiger-stripe blade. While it may look a little wilder, the 0350TSST has all the same features as our 0350. It opens with the patented SpeedSafe® assisted opening system. The blade is S30V stainless steel. The handle is G-10. This model provides the additional cutting versatility of a partially serrated blade, but it's also available with a fine edge. A secure liner lock and quadmounting system complete the package.







10







 STEEL
 ELMAX*, STONEWASHED FINISH

 HANDLE
 3-D MACHINED G-10 FRONT, 3-D MACHINED TITANIUM BACK, STONEWASHED FINISH

 BLADE
 3.75 IN. CM

 CLOSED
 5 IN.

 WEIGHT
 5.8 OZ.

- MANUAL KVT OPENING SYSTEM
- QUAD-MOUNTING SYSTEM
- TITANIUM FRAME LOCK

Based on Rick Hinderer's crave-worthy XM-18, the new Zero Tolerance 0560 and 0561 are must-have knives. The blade is ELMAX powder steel for the extreme edge retention, high strength, and toughness a hard-use knife demands. High wear resistance in a steel usually means low corrosion resistance. Not with ELMAX. With this advanced steel, you get both properties. It opens manually with the KVT ball-bearing system. The handle is 3-D machined G-10 on the front, and lightweight, strong 3-D machined titanium on the back. A titanium frame lock, with lockbar stabilizer, ensures a rock-solid lockup every time.



 STEEL
 ELMAX®, STONEWASHED FINISH

 HANDL
 3-D MACHINED G-10 RONT, 3-D MACHINED TITANIUM BACK, STONEWASHED FINISH

 BLADE
 3.75 IN. CM

 CLOSED
 5 IN.

 WEIGHT
 5.8 OZ.


- MANUAL KVT OPENING SYSTEM
 QUAD-MOUNTING SYSTEM
- TITANIUM FRAME LOCK


Prefer your Rick Hinderer ZT in basic black? Then get the Zero Tolerance 0560. If offers all the style and performance of the dark, flat earth version, but with a front scale of black, machined G-10. The ELMAX blade provides extreme edge retention, high strength, and toughness, as well as corrosion resistance. The 0560 is a manual opening knife, but you won't miss the assist because of how smoothly ZT's KVT ball-bearing system is. With KVT, a series of ball bearings surround the pivot point so blade deployment is rapid, incredibly smooth, and your blade is ready when you need it. To ensure this big bear of a knife carries at a comfortable weight, ZT has skeletonized the liner and machined pockets in the titanium handle and frame lock, too.





12









 STEEL
 S35VN, STONEWASHED FINISH

 HANDLE
 TEXTURED G-10 FRONT, TITANIUM BACK


 BLADE
 3.5 IN.

 CLOSED
 4.63 IN.

 WEIGHT
 6.1 OZ.

- MANUAL OPENING
- QUAD-MOUNTING SYSTEM
- TITANIUM FRAME LOCK

The 0550 combines Rick Hinderer style with ZT quality. It has a bullet-tough blade of S35VN stainless steel that is highly wear resistant and resists edge chipping and corrosion. It can take whatever you can dish out. The 0550 offers a secure grip thanks to the contoured handle and textured G-10 front scale. The back is titanium with a super-secure frame lock with lockbar stabilizer to prevent over-flexing of the lock. For such a good-sized knife, the 0550 is surprisingly light and makes an excellent every day carrying blade.



 STEEL
 3V TOOL STEEL, TUNGSTEN DLC COATING

 HANDLE
 3-D MACHINED G-10

 BLADE
 5.75 IN.


 OVERALL
 10.5 IN.

 WEIGHT
 11.2 OZ.

• FIXED BLADE

• INCLUDES MULTI-CARRY SHEATH

The ZT 0100 is built to take it. This fixed-blade military style knife is designed to perform under the harshest field conditions. The blade is CPM 3V tool steel for maximum resistance to breakage and chipping, plus extremely high wear resistance. This premium steel's impact toughness is greater than A2, D2, Cru-Wear, or CMP M4, and approaches the level of S7. 3-D machined G-10 scales provide high mechanical strength, imperviousness to temperature extremes, and excellent insulating properties.







ZT Catalog 2013 REV1.indd 16


0

6

COL

-3

14







 STEEL
 SANDVIK 14C28N, TUNGSTEN DLC COATING

 HANDLE
 3-D MACHINED G-10

 BLADE
 5.7 IN.

 OVERALI 1.5 IN.
 11.5 IN.

 WEIGHT
 11 0Z.

FIXED BLADE

INCLUDES MULTI-CARRY SHEATH

The 0160 is smaller and lighter than the 0100, yet still built to handle tough duty. It has a high-performance Sandvik 14C28N blade with Tungsten DLC non-reflective coating. The steel's chemistry has been boosted to provide excellent edge performance and good corrosion resistance. The edge resists chipping and rolling, yet resharpens easily. The 0160's handle scales are machined G-10 for great grip. The handle locks right into the hand and the forefinger contour enables multiple grip options. The large, pointed pommel is quite aggressive and permits punching.







ZT-9

 STEEL
 S30V, STONEWASHED FINISH

 HANDE
 TEXTURED G-10

 BLADE
 7.5 IN.

 OVERALL
 12.5 IN.

 MUZZLE RING
 4140, BLACK-OXIDE COATED

 LATCH PLATE
 4140, BLACK-OXIDE COATED


 WEIGHT
 19.04 OZ

• FIXED BLADE


• INCLUDES MULTI-CARRY SHEATH

When we designed the ZT-9, our intention was to produce the strongest production knife on the face of the earth. We think we succeeded. At a full ¼ inch wide, the full-tang ZT-9 blade stock is thicker than standard bayonet blades. The blade protrudes a full 6 inches past the muzzle of a rifle, when mounted, again providing a little bit more than the standard bayonet. Includes high-impact polymer sheath with ballistic-nylon harness. The ZT-9 fits the M16A1, M16A2, M16A4, most AR15s, the Israeli Galil ARM, and the Mossberg 590.

16









ZT ZIPPERED POUCH—FITS ANY ZERO TOLERANCE FOLDING KNIFE

The zippered ZT Pouch fits any Zero Tolerance folding knife. The interior is a soft, faux-shearling to protect your knife. The exterior is a sturdy nylon.





STEEL	CARBON	CHROMIUM	COBALT	COPPER	MANGANESE	MOLYBDENUM	NICKEL	NITROGEN	PHOSPHORUS	SILICON	SULPHUR	TUNGSTEN	VANADIUM	HRC
CPM S30V	1.45	14.00	-	-	-	2.00		0.20	-	-	-		4.00	57-59
14C28N	0.62	14.00		-	-	0.55	-	0.08	0.030	0.25	0.015	-		58-60
154CM	1.05	14.00	-	-	0.50	4.00	-	-	-	0.30	-	-		59-61
CPM 3V	0.80	7.50	-	-	-	1.30		-	-		-	-	2.75	58-60
ELMAX	1.70	18.00	-	-	0.30	1.00	-	-	-	0.80	-	-	3.00	58-62
S35 VN	1.34	14.00	0.00-0.50	-	0.50	2.0	0.10-0.40	0.00-0.13	0.03	0.50	0.03	0.40	3.00	60-62

SANDVIK 14C28N

A high-performance steel. Increased nitrogen in the formula enables 14C28N to provide both excellent corrosion resistance and the ability to be hardened to 58-60 Rockwell

UDDEHOLM ELMAX

A third-generation powdered steel, it has virtually no nonmetallic inclusions and offers an extremely uniform distribution of carbide for high wear and corrosion resistance

CPM S30V

All-around premium knife steel that takes and holds an edge extremely well; also extremely tough and wear resistant

154CM

Almost identical with ATS-34; heat treatment will affect the characteristics of both these steels enormously; Kershaw's technical expertise brings out the best in these steels

3V

A very tough steel with excellent wear resistance and good stain resistance; when it does stain, it may pit rather than surface rust

S35VN

A stainless steel that offers enhanced toughness over S30V without loss of wear resistance. In knife blades, S35VN resists edge chipping and provides excellent edge retention.

ZeroToleranceKnives.com

/ZTKnives



Limited Lifetime Warranty

All Zero Tolerance products from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. Our products are guaranteed to be free from defects in original material and construction and to perform as advertised when properly used and maintained. Under this warranty, Kai USA Ltd. will repair or replace any product we find to be defective in its original material or construction. This Limited Lifetime Warranty is non-transferable and does not cover normal signs of wear, rust, or damage/breakage due to improper use or maintenance. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, you may also have other rights that can vary by state. No other warranties are implied or expressed other than what is specifically stated here.

Liability Disclaimer and Warning

Zero Tolerance Knives are intended and sold for legitimate sporting and professional purposes only. The purchase, use, and ownership of knives are subject to a wide variety of local laws and regulations. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd. are solely responsible for any claims resulting from violation of these laws and/or regulations. Any use of these products other than cutting is considered misuse and abuse and Kai USA Ltd. is not responsible for any injuries or damages caused by misuse and/or abuse.

Specifications may change without notification

ZERO TOLERANCE KNIVES

Zero Tolerance builds the kind of premium-quality, professional knives that you can depend on every single day.

The brand made its first appearance in 2006 when Kai USA, the makers of Zero Tolerance, saw a place in the market for a made-in-the-USA line of hard-use knives that would meet the needs of professionals, such as the military, law enforcement, as well as other first responders, including fire fighters and emergency medical personnel.

The initial products were combat knives, but since that time, the line has expanded to include a variety of general-use and premium knives. Although Zero Tolerance knives are larger, heavier knives, many customers won't have anything else as an everyday carrying knife.

Zero Tolerance incorporates the most advanced materials and technologies in a tool that has been with us from the beginning. And they're still evolving...



18600 SW Teton Ave. Tualatin, OR 97062 Toll Free: 800.325.2891 • Fax: 503.682.7168 Facebook.com/ZTKnives

LITZTCAT2013